



Product Change Notification / SYST-08THUP303

Date:

10-Jul-2020

Product Category:

8-bit Microcontrollers

PCN Type:

Document Change

Notification Subject:

Data Sheet - PIC18(L)F25/26K83 28-Pin, Low-Power, High-Performance MCUs with CAN Technology

Affected CPNs:

[SYST-08THUP303_Affected_CPN_07102020.pdf](#)

[SYST-08THUP303_Affected_CPN_07102020.csv](#)

Notification Text:

SYST-08THUP303

Microchip has released a new Product Documents for the PIC18(L)F25/26K83 28-Pin, Low-Power, High-Performance MCUs with CAN Technology of devices. If you are using one of these devices please read the document located at [PIC18\(L\)F25/26K83 28-Pin, Low-Power, High-Performance MCUs with CAN Technology](#)

Notification Status: Final

Description of Change:

- 1) Updated Electrical Specifications data
- 2) Added the temperature information to the DC and AC Characteristics Graphs and Tables chapter
- 3) Other minor corrections.

Impacts to Data Sheet: None

Reason for Change: To Improve Manufacturability

Change Implementation Status: Complete

Date Document Changes Effective: 10 Jul 2020

NOTE: Please be advised that this is a change to the document only the product has not been changed.

Markings to Distinguish Revised from Unrevised Devices: N/A

Attachments:

[PIC18\(L\)F25/26K83 28-Pin, Low-Power, High-Performance MCUs with CAN Technology](#)

Please contact your local [Microchip sales office](#) with questions or concerns regarding this notification.

Terms and Conditions:

If you wish to receive Microchip PCNs via email please register for our PCN email service at our [PCN home page](#) select register then fill in the required fields. You will find instructions about registering for Microchips PCN email service in the [PCN FAQ](#) section.

If you wish to change your PCN profile, including opt out, please go to the [PCN home page](#) select login and sign into your myMicrochip account. Select a profile option from the left navigation bar and make the applicable selections.

Affected Catalog Part Numbers (CPN)

PIC18F25K83-E/ML
PIC18F25K83-E/MX
PIC18F25K83-E/SO
PIC18F25K83-E/SP
PIC18F25K83-E/SS
PIC18F25K83-E/SSVAO
PIC18F25K83-I/ML
PIC18F25K83-I/MX
PIC18F25K83-I/SO
PIC18F25K83-I/SP
PIC18F25K83-I/SS
PIC18F25K83T-E/SO
PIC18F25K83T-E/SS
PIC18F25K83T-I/ML
PIC18F25K83T-I/MX
PIC18F25K83T-I/SO
PIC18F25K83T-I/SS
PIC18F26K83-E/ML
PIC18F26K83-E/MX
PIC18F26K83-E/SO
PIC18F26K83-E/SP
PIC18F26K83-E/SS
PIC18F26K83-E/SSVAO
PIC18F26K83-I/ML
PIC18F26K83-I/MX
PIC18F26K83-I/SO
PIC18F26K83-I/SP
PIC18F26K83-I/SS
PIC18F26K83T-I/ML
PIC18F26K83T-I/MX
PIC18F26K83T-I/SO
PIC18F26K83T-I/SS
PIC18F26K83T-I/SS020
PIC18LF25K83-E/ML
PIC18LF25K83-E/MX
PIC18LF25K83-E/SO
PIC18LF25K83-E/SP
PIC18LF25K83-E/SS
PIC18LF25K83-I/ML
PIC18LF25K83-I/MX
PIC18LF25K83-I/SO
PIC18LF25K83-I/SP
PIC18LF25K83-I/SS
PIC18LF25K83T-I/ML
PIC18LF25K83T-I/MX
PIC18LF25K83T-I/SO

PIC18LF25K83T-I/SS
PIC18LF26K83-E/ML
PIC18LF26K83-E/MX
PIC18LF26K83-E/SO
PIC18LF26K83-E/SP
PIC18LF26K83-E/SS
PIC18LF26K83-I/ML
PIC18LF26K83-I/MX
PIC18LF26K83-I/SO
PIC18LF26K83-I/SP
PIC18LF26K83-I/SS
PIC18LF26K83T-I/ML
PIC18LF26K83T-I/MX
PIC18LF26K83T-I/SO
PIC18LF26K83T-I/SS